

BLUESIL PT ACC

Description	BLUESIL PT ACC is an accelerator for platinum cure, polyaddition silicone moldmaking compounds. It can be used with many of Elkem Silicones addition cure products to customize the de-mold time to as short as 2 hours, allowing multiple molds to be made each day per master. This can be done without adversely affecting the physical properties of the elastomer.	
Examples of applications	<ul style="list-style-type: none"> • Conventional production and prototype molds • Finished rubber parts • Stereolithography (SLA) molds 	
Key benefits	Please consult your local ELKEM SILICONES sales office.	
Typical properties	Typical Properties as Supplied	
	Color	Clear, amber
	Consistency	Pourable liquid
	Viscosity, cP. (mPa.s)	50
	Please note: The typical properties are not intended for use in preparing specifications. Please contact our local Sales Department for assistance in writing specifications.	
Instruction of use	BLUESIL PT ACC can be mixed either into the Part A prior to mixing with the Part B, or directly into the mixed Part A and Part B. Proper de-airing of the mixed silicone is essential to produce the best possible molds.	
Regulation	Please consult your local ELKEM SILICONES sales office.	
Limitations	Please consult your local ELKEM SILICONES sales office.	
Packaging	<ul style="list-style-type: none"> • BLUESIL PT ACC is available in <ul style="list-style-type: none"> ○ Box of 0.454 KG (1 LB) 	
Storage and shelf life	When stored in its original packaging: BLUESIL PT ACC may be stored for up to 12 months from its date of manufacturing. Comply with the storage instructions and expiration date marked on the packaging. Beyond this date, Elkem Silicones no longer guarantees that the product meets the sales specifications.	
Safety	Please consult the Safety Data Sheet of: BLUESIL PT ACC	

Visit our website www.elkem.com/silicones/

Warning to the users

The information contained in this document is given in good faith based on our current knowledge. It is only an indication and is in no way binding, particularly as regards infringement of or prejudice to third party rights through the use of our products. ELKEM SILICONES guarantees that its products comply with its sales specifications. This information must on no account be used as a substitute for necessary prior tests which alone can ensure that a product is suitable for given use. Determination of the suitability of product for the uses and applications contemplated by users and others shall be the sole responsibility of users. Users are responsible for ensuring compliance with local legislation and for obtaining the necessary certifications and authorisations. Users are requested to check that they are in possession of the latest version of this document and ELKEM SILICONES is at their disposal to supply any additional information.